

Supplementary file 4. Reliability, accuracy and difference between the assessed items vs. the reference value (n=345)

Item	Kappa ^a	Mean agreement ^b	Mean ΔSAPS II (95% CI) ^c
Heart rate	0.43	0.71	-0.82 (-1.07, -0.57)
Systolic blood pressure	0.36	0.74	-0.93 (-1.31, -0.55)
Temperature	0.56	0.93	-0.13 (-0.21, -0.05)
Oxygenation	0.33	0.70	-0.03 (-0.41, 0.36)
Urinary output	0.20	0.63	0.74 (0.36, 1.11)
Urea	0.68	0.87	0.56 (0.34, 0.78)
Leucocytes	0.59	0.88	0.17 (0.06, 0.41)
Potassium	0.42	0.87	-0.37 (-0.47, -0.26)
Sodium	0.28	0.89	-0.06 (-0.10, -0.01)
Bicarbonate	0.50	0.83	-0.48 (-0.66, -0.30)
Bilirubin	0.40	0.93	0.50 (0.29, 0.71)
Glasgow Coma Scale	0.40	0.64	4.77 (3.71, 5.83)
Age	0.77	0.83	0.80 (0.50, 1.10)
Chronic diseases	0.66	0.91	0.62 (0.25, 0.99)
Type of admission	0.49	0.74	0.10 (-0.12, 0.33)

^aWeighted Fleiss' Kappa

^bMean proportion of agreement of the participants vs. reference values

^cDifference between assessed and reference value