Established in 1871

Swiss Medical Weekly

Formerly: Schweizerische Medizinische Wochenschrift
An open access, online journal • www.smw.ch

Appendix 2

Do fathers care about their own immunisation status? The Child-Parent-Immunisation Survey and a review of the literature

Mirjam L. Erb, Tobias E. Erlanger, Ulrich Heininger

Original article | doi:10.4414/smw.2020.20289

Cite this as: Swiss Med Wkly. 2020;150:w20289 (Appendix 2)

Immunisation scores in children and their fathers

Children:

Group 1: age 6 - <12 months (maximum of 3 points)

- 3 points for completed diphtheria-tetanus-pertussis (DTP)- IPV- haemophilus influenzae type B (Hib) (+/-HBV) basic immunizations (2 respectively 3 doses according to intervals and age of first immunization, refer to swiss immunization schedule)
 - 2 points if 1 dose is missing
 - 0 points if not immunized
- No (!) points for early MMR immunization

Group 2: age ≥12 - <24 months (maximum of 6 points)

- 3 points für completed DTP-IPV-Hib (+/-HBV) basic immunizations (2 respectively 3 doses according to intervals and age of first immunization, refer to swiss immunization schedule)
 - 2 points if 1 dose is missing
 - 0 points if not immunized
 - No (!) points for already administered booster immunizations (doses 3 or 4)
- 1 point each for measles, mumps, rubella single immunizations (1st dose) or 3 points for 1st dose of MMR – no (!) additional points for 2nd dose

Group 3: age ≥24 months (maximum of 10 points)

- Up to 3 points for completed DTP-IPV-Hib (+/-HBV) basic immunization (see above), 2 more points for booster immunizations (doses 3 or 4)
- 1 point each for measles, mumps, rubella single immunization (1st dose) or 3 points for 1st dose of MMR; 2 more points for 2nd dose of MMR or measles mumps rubella single immunizations as 2nd doses completed; 1 point for 1 or 2 of measles mumps rubella single immunizations as 2nd doses (maximum of 5 points in total)

Fathers (maximum of 11 points)

- 1 point each for up to date immunization against diphtheria, tetanus, inactivated poliomyelitis (IPV) and pertussis BEFORE OR AFTER birth of child (= maximum of 4 points)
- 1 point each for measles, mumps, rubella single immunizations (1st dose) or 3 points for measlesmumps-rubella triple-immunization (MMR); 2 more points for 2nd dose MMR or 2 more points for

- measles, mumps, rubella 2nd doses as single immunizations and completed; 1 more point for 1 or 2 of measles, mumps, rubella single immunizations as 2nd dose (max. of 5 points in total)
- 2 points for completed hepatitis B (HBV) immunization (2 doses of HBV with full antigen content, formulation for adults, at 11-15 years of age, otherwise 3 doses)